



# BENELLI DEFENSE



# BENELLI DEFENSE

Benelli Armi S.p.A. is the world's biggest manufacturer of Shotguns that are now in service with law enforcement and military users in more than 80 countries. End-users trust on our long experience in manufacturing of high quality/performance/reliability products that are "combat proven" and in last 10 years were deployed in several operative theatres on warfare and counter-terror operations. Thanks to massive investments in high technology and innovation of process/product, we offer today the widest range of shotguns in the world market made with the state-of-the-art plant in the modern weapon industry. Our factory is much closer to the standards of automotive sector than to our main competitors.

**IBDT**

4

m4

18,5" TELESCOPIC STOCK  
14" TELESCOPIC STOCK

8

m3

18,5" TELESCOPIC STOCK  
14,5" TELESCOPIC STOCK  
14,5" + DOOR-BREACHER GRIP HANDLE

12

m2

18,5" PISTOL GRIP STOCK  
14" PISTOL GRIP STOCK

16

Nova · SuperNova

18,5" MONOBLOCK STOCK/RECEIVER  
14" MONOBLOCK STOCK/RECEIVER

18,5" TELESCOPIC STOCK  
14" TELESCOPIC STOCK  
14" + DOOR-BREACHER GRIP HANDLE

20

MR1

12,5"+2" TELESCOPIC STOCK

24

Optionals

26

Cartridges

## The M4 is the semiautomatic shotgun

with Benelli patent self-cleaning auto-regulating gas system with rotating locking head. The high-tech nature of its design and development is thanks to Benelli's experience in the design of semiautomatic shotguns.

## The M4 was selected by the US armed forces

as its Joint Service Combat Shotgun, after passing all of the stringent acceptance tests for efficiency, reliability, ballistic precision and strength in the worst possible conditions. The M4 is also available with telescopic stock that can be adjusted in 5 positions.

## Compact and multipurpose

The M4 model with short magazine tube (4 magnum or 5 standard + 1 in the chamber) and 14" (355 mm), barrel is a compact weapon that has been devised for use in more restricted environments.



## A.R.G.O. system

The M4 has an ingenious, cutting-edge, gas operated mechanical system, patented by Benelli and known as Auto Regulating Gas Operating (A.R.G.O.).

18,5" TELESCOPIC STOCK



14" TELESCOPIC STOCK



14" TELESCOPIC STOCK



## CERAKOTE FDE

**External Ceramic coating**  
(federal standard field grab) that confers the treated surfaces of the M4 exceptional resistance against extreme environmental conditions, erosion, corrosion and scratching.

	M4 BLACK 18,5" TELESCOPIC STOCK	M4 BLACK 14" TELESCOPIC STOCK	M4 BATTLE BROWN 18,5" TELESCOPIC STOCK	M4 BATTLE BROWN 14" TELESCOPIC STOCK
<b>OPERATION</b> Semiautomatic Auto Regulating Gas Operating	•	•	•	•
<b>GAUGE</b>	12	12	12	12
<b>CHAMBER</b>	3" MAGNUM	3" MAGNUM	3" MAGNUM	3" MAGNUM
<b>SAFETY</b> Mechanic on trigger and automatic on disconnecter	•	•	•	•
<b>CUT-OFF</b> for rapid cartridge replacement and red cocked hammer indicator	•	•	•	•
<b>TRIGGER LOAD</b> 2.500-3.250Kg / 30-36 N	•	•	•	•
<b>BARREL LENGTH (mm)</b>	470	355	470	355
<b>MAGAZINE CAPACITY</b> 6 Magnum or 7 standard cartridges (+1 in chamber)	•		•	
<b>MAGAZINE CAPACITY</b> 4 Magnum or 5 standard cartridges (+1 in chamber)		•		•
<b>STOCK DISTANCE FROM TRIGGER (mm) STOCK OPEN</b>	355	355	355	355



	<b>M4 BLACK 18,5” TELESCOPIC STOCK</b>	<b>M4 BLACK 14” TELESCOPIC STOCK</b>	<b>M4 BATTLE BROWN 18,5” TELESCOPIC STOCK</b>	<b>M4 BATTLE BROWN 14” TELESCOPIC STOCK</b>
<b>SIGHTS</b> Ghost Ring Sights In Optic Fibre (Adjustable Rear/Fixed Front) Picatinny Rail	•	•	•	•
<b>STOCK</b> in tecnopolymer telescopic stock, collapsible to 118 mm	•	•	•	•
<b>WEIGHT g (unloaded weapon)</b>	3900	3670	3900	3670
<b>TOTAL LENGTH (mm)</b>	1005 extended 887 retracted	892 extended 774 retracted	1005 extended 887 retracted	892 extended 774 retracted
<b>FINISH</b> Black anodized receiver, hammered barrel Ni-Cr-Mo (inner Chrome lining/exterior phosphate coating)	•	•		
<b>EXTERNAL CERAMIC COATING</b> (federal standard field grab) that confers the treated surfaces of the M4 exceptional resistance against extreme environmental conditions, erosion, corrosion and scratching			•	•







m3

FLEXIBLE AND MULTIPURPOSE

## M3 is a dual mode (semiautomatic and pump action)

M3 is one of the best possible choice for any operational or defense requirement. This is thanks to its flexible use (lethal and less than lethal ammos), easy handling, precision and high firing volume.





18,5" TELESCOPIC STOCK



14,5" TELESCOPIC STOCK



14,5"+ DOOR-BREACHER GRIP HANDLE



**m3**

# FLEXIBLE AND MULTIPURPOSE



Lever to switch from semiautomatic to pump action

**Two different operating mechanisms have been brought together in a single shotgun:**

semiautomatic and pump, to meet any defense requirement. The quickly interchangeable stock increases the versatility of this weapon.

## **Durable and precise**

The receiver is in matt black, anodised, Ergal aluminium alloy, and the barrels are in Nickel-Chrome-Molybdenum steel with chrome-plated lining and matted blued exterior.

The stock and fore-end are in tecnopolymer with fibre-glass reinforcements and are inalterable as well as able to withstand humidity, shocks and abrasion.





	M3 18,5" TELESCOPIC STOCK	M3 14,5" TELESCOPIC STOCK	M3 14,5" + DOOR-BREACHER GRIP HANDLE
<b>OPERATION</b> Benelli Inertial System semiautomatic convertible to Pump Action	•	•	•
<b>GAUGE</b>	12	12	12
<b>CHAMBER</b>	3" MAGNUM	3" MAGNUM	3" MAGNUM
<b>SAFETY</b> Mechanic on trigger and automatic on disconnect	•	•	•
<b>CUT-OFF</b> for rapid cartridge replacement and red cocked hammer indicator	•	•	•
<b>TRIGGER LOAD</b> 2.500-3.250 Kg / 22-28 N	•	•	•
<b>BARREL LENGTH (mm)</b>	470	355	355
<b>MAGAZINE CAPACITY</b> 6 Magnum or 7 standard cartridges (+1 in chamber)	•		
<b>MAGAZINE CAPACITY</b> 3 Magnum or 4 standard cartridges (+1 in chamber)		•	•

	M3 18,5" TELESCOPIC STOCK	M3 14,5" TELESCOPIC STOCK	M3 14,5" + DOOR-BREACHER GRIP HANDLE
<b>STOCK DISTANCE FROM TRIGGER (mm)</b>	355 extended 237 retracted	355 extended 237 retracted	
<b>SIGHTS</b> Ghost Ring Sights in Optic Fibre (Adjustable Rear/Fixed Front) Picatinny Rail	•	•	
<b>Quick detach stock system</b>	•	•	•
<b>STOCK</b> in technopolymer telescopic stock, collapsible to 118 mm	•	•	•
<b>WEIGHT g (unloaded weapon) Without door-breacher</b>	3550	3430	2805
<b>TOTAL LENGTH (mm) Without door-breacher</b>	1006 extended 888 retracted	910 extended 792 retracted	650
<b>FINISH</b> Black anodized receiver, hammered barrel Ni-Cr-Mo (inner Chrome lining/exterior blued coating)	•	•	•



The logo consists of the lowercase letters 'm2' in a bold, red, sans-serif font. A vertical white line is positioned to the right of the 'm2'.

PRACTICAL AND RELIABLE

## Years of experience

The M2 has been realized from Benelli Armi's Research and Development Centre, thanks to years of experience in the manufacturing of semiautomatic shotguns.



18,5" PISTOL GRIP STOCK



14" PISTOL GRIP STOCK



# m2

# PRACTICAL AND RELIABLE



## Inertia Driven System

The Inertial System mechanism, the rigorous design and essential construction guarantee constant functioning without blocking as well as precision, easy handling, fast firing action, and simple use.

## The tactical version

The Tactical version is equipped as standard with Ghost Ring Sights that are both windage-and elevation-adjustable.

It can also be fitted with an MIL-STD-1913 Picatinny Rail, making it possible to fit all types of targeting device (from optical sights to red dot sights, light intensifiers and thermal chambers) as well as An/Pvs-4 night vision sights.





	M2 18,5" PISTOL GRIP STOCK	M2 14" PISTOL GRIP STOCK
<b>OPERATION</b> Benelli Inertial System semiautomatic	•	•
<b>GAUGE</b>	12	12
<b>CHAMBER</b>	3" MAGNUM	3" MAGNUM
<b>SAFETY</b> Mechanic on trigger and automatic on disconnect	•	•
<b>CUT-OFF</b> lever for rapid cartridge replacement and red cocked hammer indicator	•	•
<b>TRIGGER LOAD</b> 2.500-2.600 Kg / 22-28 N	•	•
<b>BARREL LENGTH (mm)</b>	470	355
<b>MAGAZINE CAPACITY</b> 6 Magnum or 7 standard cartridges (+1 in chamber)	•	

	M2 18,5" PISTOL GRIP STOCK	M2 14" PISTOL GRIP STOCK
<b>MAGAZINE CAPACITY</b> 3 Magnum or 4 standard cartridges (+1 in chamber)		•
<b>STOCK DISTANCE FROM TRIGGER (mm)</b>	360	360
<b>SIGHTS</b> Ghost Ring Sights (Adjustable Rear/Fixed Front) Picatinny Rail	•	•
<b>STOCK</b> Pistol grip fixed drop stock	•	•
<b>WEIGHT g (unloaded weapon)</b>	3160	3230
<b>TOTAL LENGTH (mm)</b>	1011	897
<b>FINISH</b> Black anodized receiver, hammered barrel Ni-Cr-Mo (inner Chrome lining/ exterior blued coating)	•	•



# Nova | SuperNova

## CUTTING EDGE TECHNOLOGY

### Nova has the mag stop system

The mag-stop system, which is an exclusive Benelli patent, means that using an easily accessible button, it is possible to extract the chambered shell without disturbing the ammunition in the magazine. Nova can use all the ammos available on the market.

### From 2005 the new pump-action

Conceived and designed in 2005 by the Benelli Armi's Research and development Centre, the SuperNova Pump-Action collection is the most modern product of the entire world panorama of smooth barrel, pump-action shotguns, the one and only "Polymer Frame" Shotgun.



14" MONOBLOCK STOCK/RECEIVER



18,5" TELESCOPIC STOCK



14" TELESCOPIC STOCK



14" + DOOR-BREACHER GRIP HANDLE



# Nova | SuperNova

## STURDY AND RESISTANT



A mag-stop button located under the fore-end means that it is possible to extract the chambered cartridge without removing the cartridges in the magazine.



Nova and SuperNova consists of a minimum number of parts, which means that maintenance operations are both quick and simple. The fore-end cap, with its highly ergonomic design, is the only tool required to strip the weapon.



	NOVA 18,5" MONOBLOCK STOCK/RECEIVER	NOVA 14"+ MONOBLOCK STOCK/ RECEIVER
<b>MAG STOP</b>	•	•
<b>GHOST SIGHT 18,5"</b>	•	
<b>GHOST SIGHT 14"</b>		•
<b>TOTAL LENGTH (mm)</b>	1020	906
<b>STOCK DISTANCE FROM TRIGGER (mm)</b>	360	360
<b>WEIGHT (g)</b>	3300	3370

	SUPERNOVA 18,5" TELESCOPIC STOCK	SUPERNOVA 14" TELESCOPIC STOCK	SUPERNOVA 14"+ DOOR BREACHER GRIP HANDLE
<b>MAG STOP</b>	•	•	•
<b>GHOST SIGHT 18,5"</b>	•		
<b>GHOST SIGHT 14"</b>		•	•
<b>TELESCOPIC STOCK</b>	•	•	
<b>TOTAL LENGTH (mm)</b>	1025 extended 907 retracted	911 extended 793 retracted	653
<b>STOCK DISTANCE FROM TRIGGER (mm)</b>	350	350	350
<b>WEIGHT (g)</b>	3560	3520	2950

All models have a limited number of parts, which have been assembled in such a way as to allow quick and easy stripping and re-assembly without tools.

- The shotguns have single action trigger system and 2 kg trigger load.
- The safety is right/left reversible, ordinary (mechanic and manually operated on the trigger) and automatic (against premature firing on disconnecter).
- Finish: hammered barrel in Ni - Cr - Mo;
- blued exterior and chrome-plated interior front and rear.
- Sights: ghost ring sight.
- Magazine Capacity 18,5": 6 standard, 5 magnum or 4 supermagnum (+1 in the chamber).
- Magazine Capacity (Grip Handle): 4 standard, 3 magnum, 2 supermagnum (+ 1 in the chamber).

## Polymer frame

The one-piece stock and receiver is made in sturdy, injection-moulded technopolymer with glass fibre reinforcements.

Thanks to extensive technological experience and the precision engineering used to develop it, Nova and SuperNova represents the ultimate in the sector.

Nova and Supernova are impervious to humidity, abrasion and shocks, and it can even withstand the effects of solvents and chemical products.

## New design details

The Tactical version with 18.5" (470 mm) cylindrical barrel is fitted as standard with Ghost Ring Sight and MIL- STD 1913 Picatinny Rail for mounting all types of targeting device and An/Pvs-4 night vision sights.

The new design of this weapon incorporates important and exclusive details in terms of ergonomics. The stock can be quickly adjusted in 5 positions without tools. It can be adjusted from a maximum length of 1025 mm to a minimum of 907 mm, while maintaining all of the shotgun functions, even in the shortened version.



## Reliable and resistant

The MRI semiautomatic rifle is chambered in 5.56 mm (.223 Rem.) and uses the proven A.R.G.O. system developed by Benelli for the M4/M1014.

All steel parts are black phosphated and aluminium parts are hard-anodized in a matt finish.

The MRI is the first self loading semiautomatic rifle conceived from the ground up for police work; more versatile than a military firearm, it can be adjusted to the physical attributes and the special needs of the single operator.

12,5"+2" TELESCOPIC STOCK



**MRI**

DURABLE AND PRECISE







## The frame of the MR1

is divided in 2 parts: top receiver and bottom receiver. The bottom receiver is milled from a solid bar stock of aircraft grade light alloy; for maximum strength, the top receiver (permanently affixed to the barrel) is machined from a bar of high quality hardened steel.

## Flexible and versatile

Ambidextrous magazine release button and bolt release lever allow the use of MR1 rifle also by left-handed shooters. Manual safety button can be assembled on either side of the firearm.

A quick detachable sling swivel system on front and both sides of the stock make all the combinations of carrying the rifle possible. Large slots on stock and fore-end allow the passage of traditional slings.

	MR1 12,5"+2"
<b>OPERATION</b> Semiautomatic Auto Regulating Gas Operating	•
<b>CALIBER</b>	.223
<b>SAFETY</b> Mechanic on trigger and automatic on disconnect	•
<b>BARREL LENGTH</b> 12,5" (325 mm) + flash-hider	•
<b>MAGAZINE CAPACITY</b> 30 rounds	•
<b>STOCK DISTANCE FROM TRIGGER (mm)</b> with extended stock	350
<b>SIGHTS</b> Ghost Ring Sights (Adjustable Rear/Fixed Front) Picatinny Rail	•
<b>WEIGHT</b> g (unloaded weapon) + flash-hider	3500
<b>TOTAL LENGTH (mm)</b> + flash-hider	906 ext. 790 fold.
<b>FINISH</b> Black anodized receiver, hammered barrel Ni-Cr-Mo (inner Chrome lining/exterior blued coating)	•



# Optionals



FIBER OPTIC GHOST RING SIGHT



FLASHLIGHT



3 POINTS SHOTGUN STRAP



QD SLING SWIVEL





REFLEX SIGHT RED DOT



AMMO POUCH MOLLE SYSTEM



CLEANING KIT



DOOR-BREACHER AND ADAPTOR



CASE EXPLORER



SOFT G-BAG



## Benelli Combat Shotguns SUPERIOR FIREPOWER

Benelli Combat Shotguns are manageable, flexible and multipurpose/multirole perfect for the new scenarios of anti-guerrilla, close vip protection, drug enforcement and counter-terror ops in towns.

They bring massive stopping power without over-penetration, have anti-man and anti-vehicle applications, door-breaching, less than lethal and anti-light-drone capabilities.

Several renowned end-users confirm the superiority of Benelli proprietary technologies, innovative and unique features, guarantee of the highest quality and reliability in the market. Benelli M4 and Benelli M3 are now in service all over the world with the best end-users. Will you be the next?

TECHNICAL SPECIFICATION ARE SUBJECT TO CHANGE WITHOUT NOTICE

1. Slug Classic Brenneke (3 times the stopping power of a 5,56x45 NATO and 2 times a 7,62x51 NATO or 7,62x39 Russian);

2. Slug Armor-Piercing (Anti Material Projectile, perforating power of class III bulletproof vest at 50 m and more than 11 mm of steel plate at 15 m);

3. Slug Anti-Vehicle (incorporates an extra-hard alloy for maximum penetration, devastating power to penetrate windshields, wheel rims, tires and engines, against modern day threats that often come in vehicles and protected by other barriers);

4. 00 Buckshot (in each cartridge there are 9 bullets of almost 9mm, 9 times the stopping power of a standard 9mm pistol);

5. Buckshot no. 4 (good stopping power without over-penetration in order to avoid collateral damages, also applications as EOD and Anti-Light-Drone/small UAVs);

6. Less Lethal, Rubber Baton Slug, Rubber Balls, Rubber Buckshots or other types (Rubber Slug: dedicated to hit effectively and accurately at long distance an aggressor by direct shot, density and design of the projectile ensure accuracy and less lethal capacity / Rubber Balls & Buckshots: used quickly and effectively to scatter a crowd or a group of demonstrators either by direct hit or by ricochet hit).



1 Slug Classic Brenneke



2 Slug Armor-Piercing



3 Slug Anti-Vehicle



4 00 Buckshot



5 Buckshot no.4



6 Rubber Baton Slug





# BENELLI DEFENSE



QUALITY ASSURANCE  
SYSTEM CERTIFIED BY THE  
ITALIAN MINISTRY OF DEFENCE,  
GENERAL DEPARTMENT OF LAND  
WEAPONS, ACCORDING TO LAW.  
NATO AQAP 2110

**Benelli Armi S.p.A.**  
Via della Stazione, 50 61029  
Urbino (PU) - Italy  
ph. +39 0722 3071  
fax +39 0722 307206

Learn more about the Benelli Defense world

[www.benellidefense.it](http://www.benellidefense.it)

