



m3^{A1}

BENELLI DEFENSE

m3 A1

OPERATION PACK



QUICK
DETACHMENT
STOCK SYSTEM

GHOST RING SIGHT
OPTIC FIBRE

BIGGER BOLT
HANDLE & BOLT
RELEASE BUTTON

QUICK DETACHMENT
SLING SWIVEL SYSTEM

QUICK
DETACHMENT
SLING SWIVEL
SYSTEM

1 DUAL MODE

Lever to switch from semiautomatic to pump action for lethal and less lethal applications.

2 QUICK DETACHMENT STOCK SYSTEM

BMS, "Benelli Modular Stock" System: from Telescopic 5-pos. into Grip Handle No-Stock in seconds. Other options: Pistol Grip & Standard Stock.

3 QUICK DETACHMENT SLING SWIVEL SYSTEM

Quick detachable sling swivel systems (on both sides front, rear and on grip)

4 MODULAR BARRELS

Modularity for barrels (18,5" or 14,5") and magazines configuration (different types) with door-breaching device that can be installed on all barrels

5 GHOST RING SIGHT OPTIC FIBRE

Optic Fibre Ghost Ring Sights (1 Red Front Dot /2 Green Rear Dots) Adjustable in windage and elevation and protected by side lugs in heat-treated steel.

6 PICATINNY RAIL

Forearm with picatinny Rail to mount flashlights, lasers etc. and picatinny rail on top


7 BIGGER BOLT HANDLE & BOLT RELEASE BUTTON

Bigger Bolt Handle and Bolt Release Button for easy handling.



BMS | BENELLI MODULAR STOCK

Modifications are made in seconds and without tools, to change configuration from Telescopic Stock 5-positions into Grip Handle No-Stock. This new upgrade BMS, highly increases options available in urban scenarios Professionals can quickly adapt M3-A1 Combat Shotgun to different deployments on field.





	M3 18,5" TELESCOPIC STOCK	M3 14,5" TELESCOPIC STOCK	M3 14,5" + DOOR-BREACHER GRIP HANDLE
OPERATION Benelli Inertial System semiautomatic convertible to Pump Action	•	•	•
GAUGE	12	12	12
CHAMBER	3" MAGNUM	3" MAGNUM	3" MAGNUM
SAFETY Mechanic on trigger and automatic on disconnecter	•	•	•
CUT-OFF for rapid cartridge replacement and red cocked hammer indicator	•	•	•
TRIGGER LOAD 2.500-3.250 Kg / 22-28 N	•	•	•
BARREL LENGTH (mm)	470	355	355
MAGAZINE CAPACITY 6 Magnum or 7 standard cartridges (+1 in chamber)	•		
MAGAZINE CAPACITY 3 Magnum or 4 standard cartridges (+1 in chamber)		•	•

	M3 18,5" TELESCOPIC STOCK	M3 14,5" TELESCOPIC STOCK	M3 14,5" + DOOR-BREACHER GRIP HANDLE
STOCK DISTANCE FROM TRIGGER (mm)	355 extended 237 retracted	355 extended 237 retracted	
SIGHTS Ghost Ring Sights in Optic Fibre (Adjustable Rear/Fixed Front) Picatinny Rail	•	•	
Quick detach stock system	•	•	
STOCK in technopolymer telescopic stock, collapsible to 118 mm	•	•	
WEIGHT g (unloaded weapon)	3550	3430	2805
TOTAL LENGTH (mm)	1006 extended 888 retracted	910 extended 792 retracted	650
FINISH Black anodized receiver, hammered barrel Ni-Cr-Mo (inner Chrome lining/ exterior blued coating)	•	•	•



QUALITY ASSURANCE
SYSTEM CERTIFIED BY THE
ITALIAN MINISTRY OF DEFENCE,
GENERAL DEPARTMENT OF LAND
WEAPONS, ACCORDING TO LAW.
NATO AQAP 2110

Benelli Armi S.p.A.
Via della Stazione, 50 61029
Urbino (PU) - Italy
ph. +39 0722 3071
fax +39 0722 307206